## First Hit

## **End of Result Set**

Generate Collection Print

L5: Entry 2 of 2 File: DWPI May 10, 2001

DERWENT-ACC-NO: 2001-336537

DERWENT-WEEK: 200136

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Process for determining the quality of fats and oils comprises determining

the concentration of heavy volatile hydrocarbons using a gas sensor

INVENTOR: BECKER, F; DEMISCH, U; KOHL, C; MUHL, M

PATENT-ASSIGNEE: TESTO GMBH & CO (TESTN)

PRIORITY-DATA: 1999DE-1047669 (October 4, 1999)

Search Selected Search ALL Clear

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 DE 19947669 A1
 May 10, 2001
 006
 G01N033/03

APPLICATION-DATA:

PUB-NO APPL-DATE APPL-NO DESCRIPTOR

DE 19947669A1 October 4, 1999 1999DE-1047669

INT-CL (IPC):  $\underline{G01} \ \underline{N} \ \underline{33/03}; \ \underline{G01} \ \underline{N} \ \underline{33/30}$ 

ABSTRACTED-PUB-NO: DE 19947669A

BASIC-ABSTRACT:

NOVELTY - Process for determining the quality of fats and oils comprises determining the concentration of heavy volatile hydrocarbons using a first gas sensor from which the criterion for the quality of the fat or oil is derived.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for a measuring device for carrying out the process comprising a first gas sensor (G1) for determining the concentration of heavy volatile hydrocarbons and a second gas sensor (G2) for determining the concentration of light volatile hydrocarbons.

USE - For determining the quality of fats and oils.

ADVANTAGE - The device is compact and the measurement can be quickly carried out.

DESCRIPTION OF DRAWING(S) - The drawing shows a cross-section through the measuring device.

first gas sensor Gl

second gas sensor G2

moisture sensor H

ABSTRACTED-PUB-NO: DE 19947669A

EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.1/1

DERWENT-CLASS: A89 J04 S03

CPI-CODES: A03-A02; A12-L04B; J04-C04; EPI-CODES: S03-E14E1; S03-E14H9; S03-E14P;

## **WEST Search History**

Hide Items	Restore	Clear	Cancel

DATE: Thursday, April 29, 2004

Hide? Set Name Query		e Query Hi	t Count
DB=EPAB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ			DP=ADJ
	L5	19947669	2
DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ			
	L4	L1 and (interference)	2
	L3	L1 and (water near4 interference)	0
	L2	L1 and (water interference)	0
	L1	5832411	15

END OF SEARCH HISTORY